Index to Volume 63

PHYSICAL THERAPY

Pages in PHYSICAL THERAPY are numbered consecutively from January through December. Pages in Volume 63, for the year 1983, are numbered 1 through 2126.

	Pages		Pages
January	1–172	July	1075–1234
February	173–306	August	1235–1382
March	307–470	September	1383–1574
April	471–642	October	1575–1756
May	643–906	November	1757–1932
June	907–1074	December	1933–2126

Subject Index

ADMINISTRATION

Utilization of physical therapy personnel in one hospital: A work sampling study. Domenech MA, Payton O, Hill J, Shukla RK. 63:1108–1112, 1983

AGING

Aging process: Implications for clinical practice. Payton OD, Poland JL. 63:41–48, 1983

AMERICAN PHYSICAL THERAPY ASSOCIATION

American Physical Therapy Association awards for 1983. 63:1812–1815, 1983
American Physical Therapy Association bylaws. 63:1645–1655, 1983
American Physical Therapy Association officers, committees, task forces, and section chairmen. 63:1817–1819, 1983
Eighteenth Mary McMillan Lecture: "The privilege of choice." Watts NT. 63:1802–1808, 1983
Membership qualifications. 63:1657, 1983
Membership statistics. 63:1816, 1983
1983 Presidential Address. Richardson RW. 63:1795–1801, 1983
Nominees for national office—1983. 63:382–387, 1983
Opinions and comments. 63:379, 1983
Report of the House of Delegates session. 63:1809–1811, 1983
State board examinations. 63:562–563, 1665–1666, 1983

AMPUTATIONS

Amputation as a consequence of diabetes mellitus: An epidemiological review. Falkel JE. 63:960–964, 1983
Disseminated intravascular coagulation resulting in amputation (Case Report). Dobashi C. 63:1283–1286, 1983
Opinions and comments. 63:1643, 1983

BIOFEEDBACK

A positional biofeedback device for sitting balance (Suggestion from the Field). Bjork L, Wetzel A. 63:1460–1461, 1983
Effect of electromyographic biofeedback on an isometric strengthening program. Lucca JA, Recchiuti SJ. 63:200–203, 1983
Effects of feedback stimulation training and cyclical electrical stimulation on knee extension in hemiparetic patients. Winchester P, Montgomery J, Bowman B, Hislop H. 63:1096–1103, 1983
Electromyographic biofeedback applications to stroke patients: A critical review. Wolf SL. 63:1448–1459, 1983
Electromyographic biofeedback applications to the hemiplegic patient: Changes in lower extremity neuromuscular and functional status. Wolf SL, Binder-MacLeod SA. 63:1404–1413, 1983
Electromyographic biofeedback applications to the hemiplegic patient: Changes in upper extremity neuromuscular and functional status. Wolf SL, Binder-MacLeod SA. 63:1393–1403, 1983

CARDIAC

Are maximal inspiratory breathing exercises or incentive spirometry better than early mobilization after cardiopulmonary bypass? Dull JL, Dull WL. 63:655–659, 1983

EDUCATION

Clinical Education

Clinical teaching in physical therapy education: An ethnographic study. Scully RM, Shepard KF. 63:349–358, 1983
Method to determine the effect of clinical education on production in a health care facility. Leiken AM. 63:56–59, 1983

Teaching: A skill in clinical practice. May BJ. 63:1627–1633, 1983
Teaching treatment planning: A problem-solving model. Olsen SL. 63:526–529, 1983
Texas consortium for physical therapy clinical education: A model for interinstitutional consortium arrangements. Radtka S, Dragotta N, Needham S, Smith SS, Tucker J. 63:971–974, 1983

Educational Program Listings

Educational programs in physical therapy. 63:556–562, 1658–1664, 1983

Professional Education

Academic tenure: What does it mean? Walker JM. 63:679–684, 1983
Effects of instruction in basic communication skills on physical therapists and physical therapy students. Payton OD. 63:1292–1297, 1983
Opinions and comments. 63:379–380, 574, 1834, 1983
Profile of physical therapy educators in five countries. Walker JM, Everett LE, Evans PR. 63:1127–1133, 1983
Supervised versus independent student laboratories. Kloth LC, Morrison MA. 63:225–228, 1983
Teaching treatment planning: A problem-solving model. Olsen SL. 63:526–529, 1983

ELECTROMYOGRAPHY

An electromyographic analysis of quadriceps femoris muscle setting and straight leg raising. Soderberg GL, Cook TM. 63:1434–1438, 1983
Effect of electromyographic biofeedback on an isometric strengthening program. Lucca JA, Recchiuti SJ. 63:200–203, 1983
Electromyographic biofeedback applications to stroke patients: A critical review. Wolf SL. 63:1448–1459, 1983
Electromyographic biofeedback applications to the hemiplegic patient: Changes in lower extremity neuromuscular and functional status. Wolf SL, Binder-MacLeod SA. 63:1404–1413, 1983
Electromyographic biofeedback applications to the hemiplegic patient: Changes in upper extremity neuromuscular and functional status. Wolf SL, Binder-MacLeod SA. 63:1393–1403, 1983
Electromyographic, peak torque, and power relationships during isokinetic movement. Rothstein JM, Delitto A, Sinacore DR, Rose SJ. 63:926–933, 1983
Electromyographic study of muscular overflow during precision handgrip. Carey JR, Allison JD, Mundale MO, 63:505–511, 1983
Electromyographic study of the relationship between hamstring and abdominal muscles during a unilateral straight leg raise. Mayhew TP, Norton BJ, Sahrmann SA. 63:1769–1773, 1983
Commentary on "Electromyographic study of the relationship between hamstring and abdominal muscles during a unilateral straight leg raise." Soderberg GL. 63:1774, 1983
Authors' response to Commentary on "Electromyographic study of the relationship between hamstring and abdominal muscles during a unilateral straight leg raise." Mayhew TP, Norton BJ, Sahrmann SA. 63:1775, 1983
Pictorial report form for needle electromyography (Suggestion from the Field). Brumback RA, Baune GM, Roberts DW. 63:224, 1983

This instrument created an ultrasonic boom.

Twenty years ago the first Sonicator broke the ultrasound barrier, marking a revolution in physical therapy.

Today the new Sonicator 706 remains the innovator in ultrasonic therapeutics, offering a choice of treatment modes—pulsed or continuous, new membrane switching, digital readouts, and an automatic no-load sensor.

Hermetically sealed, the lightweight transducer is anatomically designed to fit the hand comfortably, and provides the largest effective radiating area available. The entire unit weighs only 7¼ lbs, yet emits as much power as most large units. Used by more physical therapists than any other unit on the market, the Sonicator will perform reliably whenever and wherever you and your patients need it.

The first of its kind, the Sonicator is the last word in ultrasonic therapy today. Isn't it time the Sonicator created an ultrasonic boom for you?

METTLER ELECTRONICS® The Sonicator® 706

Mettler Electronics® Corp.
1333 S. Claudina St., Anaheim, CA 92805, (714) 533-2221
Cable address: SONICATOR, Anaheim, CA USA

Timing and relative intensity of hip extensor and abductor muscle action during level and stair ambulation: An EMG study. Lyons K, Perry J, Gronley JK, Barnes L, Antonelli D. 63:1597–1605, 1983

Ultrasound effects on electroneuromyographic measures in sensory fibers of the median nerve. Cosentino AB, Cross DL, Harrington RJ, Soderberg GL. 63:1788–1792, 1983

ELECTROTHERAPY

Effect of electrical stimulation to the vastus medialis muscle in a patient with chronically dislocating patellae (Case Report). Bohannon RW. 63:1445–1447, 1983

Effects of feedback stimulation training and cyclical electrical stimulation on knee extension in hemiparetic patients. Winchester P, Montgomery J, Bowman B, Hislop H. 63:1096–1103, 1983

Muscular strength development by electrical stimulation in healthy individuals. Currier DP, Mann R. 63:915–921, 1983

Neuromuscular electrical stimulation for the head-injured patient. Baker LL, Parker K, Sanderson D. 63:1967–1974, 1983

Skin pH following high voltage pulsed galvanic stimulation. Newton RA, Karselis TC. 63:1593–1596, 1983

Strength changes in the normal quadriceps femoris muscle as a result of electrical stimulation. Laughman RK, Youdas JW, Garrett TR, Chao EYS. 63:494–499, 1983

Study of doppler ultrasonic peripheral vascular assessments performed by physical therapists. MacKinnon JL. 63:30–34, 1983

The use of a four-channel electrical stimulator as an ambulatory aid for paraplegic patients. Bajd T, Kralj A, Turk R, Benko H, Sega J. 63:1116–1120, 1983

Use of electrical stimulation at acupuncture points for the treatment of reflex sympathetic dystrophy in a child (Case Report). Leo KC. 63:957–959, 1983

ENERGY EXPENDITURE

Effect of arm ergometry training on physical work capacity of individuals with spinal cord injuries. DiCarlo SE, Supp MD, Taylor HC. 63:1104–1107, 1983

Fatigue rate during anaerobic and aerobic exercise in insulin-dependent diabetics and nondiabetics. Wolfe PI, DiCarlo S. 63:500–504, 1983

Heart-rate response of elderly women to nonweightbearing ambulation with a walker. Baruch IM, Mossberg KA. 63:1782–1787, 1983

Hemodynamic and energy cost responses to changes in arm exercise technique. DiCarlo S, Leonardo J. 63:1585–1592, 1983

EQUIPMENT

A positional biofeedback device for sitting balance (Suggestion from the Field). Bjork L, Wetzel A. 63:1460–1461, 1983

Absorbent paper method for recording foot placement during gait (Suggestion from the Field). Clarkson BH. 63:345–346, 1983

Design and selected application of an electronic touch-sensitive switch for motor-impaired patients (Suggestion from the Field). Vasudevan SV, Lynch T, Donnell R, Murphy J. 63:1793–1794, 1983

Device for stretching spastic hip adductor muscles (Suggestion from the Field). Bohannon RW. 63:343–344, 1983

A Good
MUSCLE STIMULATOR . . .

Doesn't Have To Cost "An Arm & A Leg"

EMS-1 (Galvanic Only) EMS-2 (Galvanic & Faradic)

- Convenient one hand operation
- Effective galvanic & faradic current
- Safe and comfortable
- Battery powered
- Low cost

Available at your local medical supplier or from
MED LABS
7036 Madera Dr.
Goleta, California 93117
(805) 968-2486

*Free 30 day evaluation for M.D.S & R.P.T.S., contact MED LABS.

The exceptional combination

The Maclaren Buggy Major and Mold 'N Hold Support.

For disabled youngsters or adults up to 140 pounds, the Buggy Major is world-famous for its light weight, portability, easy steering, smooth-gliding twin wheels, safety catches and child-proof brakes on each rear wheel. Detachable footrest with height adjustments available.

The Mold 'N Hold Body support fits snugly in the Buggy Major for the patient's safety and support. When air is extracted, it creates a perfect mold form of the user. Available in 12 sizes and shapes for prone and sitting positions, too.

Exceptional products for exceptional children.

MACLAREN

Andrews Maclaren Inc., P.O. Box 2004, Dept. L, New York, New York 10017
(800) 233-1224 In N.Y. State (212) 889-7547

Effect of a thermoplastic orthosis in the rehabilitation of a patient with a scapular fracture (Case Report). McGarvey CL. 63:1289–1291, 1983
Electric wheelchair propulsion using a hand control in C4 quadriplegia (Case Report). McClay I. 63:221–223, 1983
Fully contoured seating for the wheelchair-bound patient with neuromuscular disease (Suggestion from the Field). Siegel IM, Silverman M. 63:1625–1626, 1983
Shoulder positioning device for patients with hemiplegia. Bohannon RW, Thorne M, Mieres AC. 63:49–50, 1983
Sliding forearm rest for parallel bars (Suggestion from the Field). Posey S, Pearce D. 63:347–348, 1983
The pneumatic lift as an aid to positioning the strength-compromised patient (Suggestion from the Field). Hoffman D, Kusek N, Tonjuk AM. 63:969–970, 1983
The use of a four-channel electrical stimulator as an ambulatory aid for paraplegic patients. Bajd T, Kralj A, Turk R, Benko H, Sega J. 63:1116–1120, 1983
Toe splint (Suggestion from the Field). Horn J, Glickman L. 63:677–678, 1983

GAIT

A clinical method of quantitative gait analysis (Suggestion from the Field). Cerny K. 63:1125–1126, 1983
Absorbent paper method for recording foot placement during gait (Suggestion from the Field). Clarkson BH. 63:345–346, 1983
Development of gait at slow, free, and fast speeds in 3- and 5-year-old children. Rose-Jacobs R. 63:1251–1259, 1983
Knee flexion during stance as a determinant of inefficient walking. Winter DA. 63:331–333, 1983

HEAD INJURY

Conceptual model of an approach to the sensorimotor treatment of the head-injured client. Umphred D. 63:1983–1987, 1983
Considerations for functional training in adults after head injury. Rinehart MA. 63:1975–1982, 1983
Current perspectives on disruptions to limb praxis. Roy EA. 63:1998–2003, 1983
Editorial. Lister M. 63:1943, 1983
Integrating cognitive strategies into the physical therapy setting. Malkmus D. 63:1952–1959, 1983
Introduction: Traumatic head injury. Flynn J, Winstein C. 63:1944, 1983
Neurogenic dysphagia: Frequency, progression, and outcome in adults following head injury. Winstein C. 63:1992–1997, 1983
Neuromuscular electrical stimulation for the head-injured patient. Baker LL, Parker K, Sanderson D. 63:1967–1974, 1983
Orthopedic strategies in the management of the adult head-injured patient. Garland DE, Keenan MAE. 63:2004–2009, 1983
Overview of head injuries. Montgomery J. 63:1945, 1983
Physical abilities after head injury: A retrospective study. Talmage EW, Collins GA. 63:2010–2017, 1983
Prevocational programming in the rehabilitation of the head-injured patient: A summary. Smith R. 63:2026–2029, 1983
Residual sensorimotor deficits in the adult head-injured patient: A treatment approach. Mercer L, Boch M. 63:1988–1991, 1983
Serial casting for the management of spasticity in the head-injured adult. Booth BJ, Doyle M, Montgomery J. 63:1960–1966, 1983
Severe head injury: Clinical assessment and outcome. Heiden JS, Small R, Caton W, Weiss M, Kurze T. 63:1946–1951, 1983
Vietnam head injury study: Preliminary analysis of the functional and anatomical sequelae of penetrating head trauma. Sweeney JK, Smutok MA. 63:2018–2025, 1983

HEMIPLEGIA

Effects of feedback stimulation training and cyclical electrical stimulation on knee extension in hemiparetic patients. Winchester P, Montgomery J, Bowman B, Hislop H. 63:1096–1103, 1983
Functional differences in patients with left or right cerebrovascular accidents. Mills VM, DiGenio M. 63:481–485, 1983
Commentary on "Functional differences in patients with left or right cerebrovascular accidents." Kirkman K. 63:486–487, 1983
Authors' response to Commentary on "Functional differences in patients with left or right cerebrovascular accidents." Mills VM, DiGenio M. 63:488, 1983
Patterns of rapid motor responses during postural adjustments when standing in healthy subjects and hemiplegic patients. Badke MB, Duncan PW. 63:13–20, 1983
Reliability of the Fugl-Meyer assessment of sensorimotor recovery following cerebrovascular accident. Duncan PW, Propst M, Nelson SG. 63:1606–1610, 1983
Shoulder positioning device for patients with hemiplegia. Bohannon RW, Thorne M, Mieres AC. 63:49–50, 1983
Taping for positioning and stabilizing the ankle of patients with hemiparesis (Suggestion from the Field). Bohannon RW. 63:524–525, 1983

KINESIOLOGY

Effect of forearm abduction on the ulnar collateral ligament. Johnson C, Glasheen-Wray MB. 63:660–663, 1983
Electromyographic, peak torque, and power relationships during isokinetic movement. Rothstein JM, Delitto A, Sinacore DR, Rose SJ. 63:926–933, 1983
Muscle mechanics and pathomechanics: Their clinical relevance. Soderberg GL. 63:216–220, 1983
Timing and relative intensity of hip extensor and abductor muscle action during level and stair ambulation: An EMG study. Lyons K, Perry J, Gronley JK, Barnes L, Antonelli D. 63:1597–1605, 1983

MOTOR CONTROL

Motor control: How posture and movements are governed. Brooks VB. 63:664–673, 1983
Motor proficiency in children with psychosis. Van Pelt M, Kalish RA. 63:194–199, 1983
Patterns of rapid motor responses during postural adjustments when standing in healthy subjects and hemiplegic patients. Badke MB, Duncan PW. 63:13–20, 1983

MUSCLE STRENGTH

Effect of increased abdominal muscle strength on forced vital capacity and forced expiratory volume. Simpson LS. 63:334–337, 1983

Isometric, isotonic, and isokinetic torque variations in four muscle groups through a range of joint motion. Knapik JJ, Wright JE, Mawdsley RH, Braun J. 63:938–947, 1983

Muscular strength development by electrical stimulation in healthy individuals. Currier DP, Mann R. 63:915–921, 1983

Relationship between verbal command volume and magnitude of muscle contraction. Johansson CA, Kent BE, Shepard KF. 63:1260–1265, 1983

Results of resistance exercise on a patient with amyotrophic lateral sclerosis (Case Report). Bohannon RW. 63:965–968, 1983

Strength changes in the normal quadriceps femoris muscle as a result of electrical stimulation. Laughman RK, Youdas JW, Garrett TR, Chao EYS. 63:494–499, 1983

NERVOUS SYSTEM

Conceptual model of an approach to the sensorimotor treatment of the head-injured client. Umphred D. 63:1983–1987, 1983

Current perspectives on disruptions to limb praxis. Roy EA. 63:1998–2003, 1983

Developmental implications of clinically applied vestibular stimulation: A review. Ottenbacher K. 63:338–342, 1983

Effect of experience on recovery following CNS lesions. Herdman SJ. 63:51–55, 1983

Effect of vibration on tactile sensitivity. Hochreiter NW, Jewell MJ, Barber L, Browne P. 63:934–937, 1983

Residual sensorimotor deficits in the adult head-injured patient: A treatment approach. Mercer L, Boch M. 63:1988–1991, 1983

ORTHOPEDICS

Ankle and Foot Involvement

Effects of the neuroprobe in the treatment of second-degree ankle inversion sprains. Paris DL, Baynes F, Gucker B. 63:35–40, 1983

Neck and Back Involvement

The acute cervical joint lock. Sprague RB. 63:1439–1444, 1983

Current principles in the nonoperative management of structural adolescent idiopathic scoliosis. Farady JA. 63:512–523, 1983

Objective assessment with establishment of normal values for lumbar spinal range of motion. Fitzgerald GK, Wynveen KJ, Rheault W, Rothschild B. 63:1776–1781, 1983

ORTHOTICS

Effect of a thermoplastic orthosis in the rehabilitation of a patient with a scapular fracture (Case Report). McGarvey CL. 63:1289–1291, 1983

PEDIATRICS

Development of a scoring system for the Milani-Comparetti and Gidoni method of assessing neurologic abnormality in infancy. Ellison PH, Browning CA, Larson B, Denny J. 63:1414–1423, 1983

Developmental guidelines for children with myelodysplasia. Sousa JC, Telzrow RW, Holm RA, McCartin R, Shurtleff DB. 63:21–29, 1983

Results You Can Measure.



UL Listed

The Electrostim 180 delivers a sinewave of 2500 hz which is modulated at 50 hz. This produces intense muscle contractions that have been shown to increase muscle strength. This combination of current and modulation has increased efficiency in recruiting muscle fibers, while producing an afferent nerve block to reduce sensory nerve stimulation.

In addition to offering you the state of the art in producing muscle contractions, the ES-180 provides many of the benefits of conventional stimulators:

- **Relieves pain**
- **Relaxes muscle spasms**
- **Re-educates muscle action**
- **Increases blood supply**
- **Reduces edema**

Get the facts on the benefits of the Electrostim 180, the original Soviet stimulation technique — the new standard in electrical muscle stimulation. Call or write NU-MED, today.

NU-MED

Dept. J-1
333 North Hammes Avenue
Joliet, Illinois 60435
(815) 744-7060

Federal law restricts this device to the use by or sale to (or on the order of) a Physician or other practitioner in the state in which said person is licensed and practices.

Developmental implications of clinically applied vestibular stimulation: A review. Ottenbacher K. 63:338–342, 1983

Lateral dominance in children with learning disabilities. Connolly BH. 63:183–187, 1983

Measurement of selected hip, knee, and ankle joint motions in newborns. Waugh KG, Minkel JL, Parker R, Coon VA. 63:1616–1621, 1983

Motor proficiency in children with psychosis. Van Pelt M, Kalish RA. 63:194–199, 1983

Opinions and comments. 63:1312–1313, 1983

Pediatric practice in physical therapy: A survey. Heriza CB, Lunnen KY, Fischer J, Harris M. 63:948–956, 1983

Should there be NDT certification?: Five views (Perspectives). 63:552–554, 1983

Use of electrical stimulation at acupuncture points for the treatment of reflex sympathetic dystrophy in a child (Case Report). Leo KC. 63:957–959, 1983

PERIPHERAL NERVE INJURY

Incidence, recovery, and management of serratus anterior muscle palsy after axillary node dissection. Duncan MA, Lotze MT, Gerber LH, Rosenberg SA. 63:1243–1247, 1983

Orthopedic strategies in the management of the adult head-injured patient. Garland DE, Keenan MAE. 63:2004–2009, 1983

PHYSICAL FITNESS

Physical fitness of physical therapy students. Sobush DC, Fehring RJ. 63:1266–1273, 1983

PROFESSIONAL RELATIONS

Effect of compatibility on goal achievement in patient-physical therapist dyads. Lobitz C, Shepard K. 63:319–324, 1983

PUBLICATIONS AND AUDIOVISUAL MATERIALS

Publications and audiovisual materials. 63:250–252, 576–579, 1153–1155, 1484–1488, 1840–1846, 1983

PULMONARY

Are maximal inspiratory breathing exercises or incentive spirometry better than early mobilization after cardiopulmonary bypass? Dull JL, Dull WL. 63:655–659, 1983

Effect of increased abdominal muscle strength on forced vital capacity and forced expiratory volume. Simpson LS. 63:334–337, 1983

Effects of selected bronchial drainage positions and percussion on blood pressure of healthy human subjects. White DJ, Mawdsley RH. 63:325–330, 1983

REHABILITATION

Considerations for functional training in adults after head injury. Rinehart MA. 63:1975–1982, 1983

Device for stretching spastic hip adductor muscles (Suggestion from the Field). Bohannon RW. 63:343–344, 1983

Electric wheelchair propulsion using a hand control in C4 quadriplegia (Case Report). McClay I. 63:221–223, 1983

Fully contoured seating for the wheelchair-bound patient with neuromuscular disease (Suggestion from the Field). Siegel IM, Silverman M. 63:1625–1626, 1983

Integrating cognitive strategies into the physical therapy setting. Malkmus D. 63:1952–1959, 1983

Neurogenic dysphagia: Frequency, progression, and outcome in adults following head injury. Winstein C. 63:1992–1997, 1983

Perceived behavioral changes observed with adaptive seating devices and training programs for multihandicapped, developmentally disabled individuals. Hume JB, Poor R, Schulein M, Pezzino J. 63:204–208, 1983

Physical abilities after head injury: A retrospective study. Talmage EW, Collins GA. 63:2010–2017, 1983

Physical therapists in burn care: Role and staffing patterns. Stachowski M, Kondela-Cebulski P. 63:1091–1095, 1983

Physical therapy management of familial dysautonomia. Ganz SB, Levine DB, Axelrod FB, Kahanovitz N. 63:1121–1124, 1983

Prescriptive check list for positioning multihandicapped residential clients (Clinical Report). Stephens TE, Lattimore J. 63:1113–1115, 1983.

Prevocational programming in the rehabilitation of the head-injured patient: A summary. Smith R. 63:2026–2029, 1983

Serial casting for the management of spasticity in the head-injured adult. Booth BJ, Doyle M, Montgomery J. 63:1960–1966, 1983

Severe head injury: Clinical assessment and outcome. Heiden JS, Small R, Caton W, Weiss M, Kurze T. 63:1946–1951, 1983

Sliding forearm rest for parallel bars (Suggestion from the Field). Posey S, Pearce D. 63:347–348, 1983

APPRECIATION

The APTA Committee on Continuing Education wishes to acknowledge the following individuals for contributing self-assessment quizzes to PHYSICAL THERAPY in 1983.

Richard Bohannon
Michael Emery
Martin Feldman
Norma Fisher
Drexy W. Smith
Judy Sotosky
Mark Van Tassel

Vietnam head injury study: Preliminary analysis of the functional and anatomical sequelae of penetrating head trauma. Sweeney JK, Smutok MA. 63:2018–2025, 1983

RESEARCH

Measurement in physical therapy: On the rules for assigning numerals to observations. Michels E. 63:209–215, 1983
Single-case research: When is it valid? (Guest Editorial). Committee on Research, APTA (Barbara H. Connolly, Chairman; Rebecca L. Craik; David E. Krebs) 63:1767–1768, 1983
The protection of human subjects in biomedical experimentation (Guest Editorial). Nolan MF. 63:1083–1084, 1983

SELF-ASSESSMENT QUIZ

Self-assessment quiz. 63:97, 247, 377, 570, 986, 1149, 1837, 1983

SPINAL CORD DYSFUNCTIONS

Effect of arm ergometry training on physical work capacity of individuals with spinal cord injuries. DiCarlo SE, Supp MD, Taylor HC. 63:1104–1107, 1983

STATE BOARD EXAMINATIONS

State board examinations. 63:562–563, 1665–1666, 1983

TESTS AND MEASUREMENTS

Comparison of two methods of goniometry. Grohmann JEL. 63:922–925, 1983
Correction of isokinetic and isometric torque recordings for the effects of gravity (Clinical Report). Nelson SG, Duncan PW. 63:674–676, 1983
Documentation of wound surface area from tracings of wound perimeters: Clinical report on three techniques. Bohannon RW, Pfaller BA. 63:1622–1624, 1983
Effect of damp on isokinetic measurements. Sinacore DR, Rothstein JM, Delitto A, Rose SJ. 63:1248–1250, 1983
Goniometric reliability in a clinical setting: Elbow and knee measurements. Rothstein JM, Miller PJ, Roettger RF. 63:1611–1615, 1983
Hamstring muscle tightness: Reliability of an active-knee-extension test. Gajdosik R, Lusin G. 63:1085–1088, 1983
Commentary on "Hamstring muscle tightness: Reliability of an active-knee-extension test." Bohannon RW. 63:1088–1089, 1983
Authors' response to Commentary on "Hamstring muscle tightness: Reliability of an active-knee-extension test." Gajdosik R, Lusin G. 63:1089–1090, 1983
Limits of two-point discrimination ability in the lower limb in young adult men and women. Nolan MF. 63:1424–1428, 1983
Measurement in physical therapy: On the rules for assigning numerals to observations. Michels E. 63:209–215, 1983
The pneumatic lift as an aid to positioning the strength-compromised patient (Suggestion from the Field). Hoffman D, Kusek N, Tonjuk AM. 63:969–970, 1983

COMBINE massage, traction, spinal mobilization, heat and vibration for only $2895 complete!

HILL ANATOMOTOR
Manufactured by Hill Laboratories for more than 35 years



The Anatomotor can be purchased with the massage features only for $1640.

Hill ANATOMOTOR features:

- Adjustable back massage rollers
- Leg massage rollers and passive exercise positions
- Intermittent or constant traction
- Electrically controlled tilt top *(optional)*
- Quickly converts to all-purpose treatment table
- Choice of heights and colors

Lease-purchase plan with low monthly payments available

HILL LABORATORIES CO., Malvern, PA 19355
Learn the important benefits of traction and massage—send for our FREE information kit, or call 215-644-2867.

NAME _____
HOSPITAL _____
STREET _____
CITY _____
STATE _____ ZIP _____
PHONE _____

Measurement of selected hip, knee, and ankle joint motions in newborns. Waugh KG, Minkel JL, Parker R, Coon VA. 63:1616–1621, 1983
Objective assessment with establishment of normal values for lumbar spinal range of motion. Fitzgerald GK, Wynveen KJ, Rheault W, Rothschild B. 63:1776–1781, 1983
Straight-leg-raising test: Comparison of three instruments. Hsieh C, Walker JM, Gillis K. 63:1429–1433, 1983
Using isokinetic dynamometry to test ambulatory patients with multiple sclerosis. Armstrong LE, Winant DM, Swasey PR, Seidle ME, Carter AL, Gehlsen G. 63:1274–1279, 1983

THESES AND DISSERTATIONS

Abstracts of theses and dissertations. 63:99, 248, 389–390, 805–816, 1983

TRANSCUTANEOUS ELECTRICAL NERVE STIMULATION

Effects of the neuroprobe in the treatment of second-degree ankle inversion sprains. Paris DL, Baynes F, Gucker B. 63:35–40, 1983
Reversal of a Sudeck's atrophy by the adjunctive use of transcutaneous electrical nerve stimulation (Case Report). Bodenheim R, Bennett JH. 63:1287–1288, 1983
Transcutaneous electrical nerve stimulation for low back pain: A comparison of TENS and massage for pain and range of motion. Melzack R, Vetere P, Finch L. 63:489–493, 1983
Transcutaneous electrical nerve stimulation for postlaparotomy pain. Schomburg FL, Carter-Baker SA. 63:188–193, 1983
Transcutaneous electrical nerve stimulation in the management of nonoperative intra-abdominal pain (Case Report). Millea TP. 63:1280–1282, 1983

Author Index

A

ALLISON JD: See Carey JR
ANTONELLI D: See Lyons K
ARMSTRONG LE, Winant DM, Swasey PR, Seidle ME, Carter AL, Gehlsen G: Using isokinetic dynamometry to test ambulatory patients with multiple sclerosis. 63:1274–1279, 1983
AXELROD FB: See Ganz SB

B

BADKE MB, Duncan PW: Patterns of rapid motor responses during postural adjustments when standing in healthy subjects and hemiplegic patients. 63:13–20, 1983
BAJD T, Kralj A, Turk R, Benko H, Sega J: The use of a four-channel electrical stimulator as an ambulatory aid for paraplegic patients. 63:1116–1120, 1983
BAKER LL, Parker K, Sanderson D: Neuromuscular electrical stimulation for the head-injured patient. 63:1967–1974, 1983
BARBER L: See Hochreiter NW
BARNES L: See Lyons K
BARUCH IM, Mossberg KA: Heart-rate response of elderly women to nonweightbearing ambulation with a walker. 63:1782–1787, 1983
BAUNE GM: See Brumback RA
BAYNES F: See Paris DL
BENKO H: See Bajd T
BENNETT JH: See Bodenheim R
BINDER-MacLEOD SA: See Wolf SL
BJORK L, Wetzel A: A positional biofeedback device for sitting balance (Suggestion from the Field). 63:1460–1461, 1983
BOCH M: See Mercer L
BODENHEIM R, Bennett JH: Reversal of a Sudeck's atrophy by the adjunctive use of transcutaneous electrical nerve stimulation (Case Report). 63:1287–1288, 1983
BOHANNON RW: Commentary on "Hamstring muscle tightness: Reliability of an active-knee-extension test. 63:1088–1089, 1983
BOHANNON RW: Device for stretching spastic hip adductor muscles (Suggestion from the Field). 63:343–344, 1983
BOHANNON RW: Effect of electrical stimulation to the vastus medialis muscle in a patient with chronically dislocating patellae (Case Report). 63:1445–1447, 1983
BOHANNON RW: Results of resistance exercise on a patient with amyotrophic lateral sclerosis (Case Report). 63:965–968, 1983
BOHANNON RW: Taping for positioning and stabilizing the ankle of patients with hemiparesis (Suggestion from the Field). 63:524–525, 1983
BOHANNON RW, Pfaller BA: Documentation of wound surface area from tracings of wound perimeters: Clinical report on three techniques. 63:1622–1624, 1983
BOHANNON RW, Thorne M, Mieres AC: Shoulder positioning device for patients with hemiplegia. 63:49–50, 1983
BOOTH BJ, Doyle M, Montgomery J: Serial casting for the management of spasticity in the head-injured adult. 63:1960–1966, 1983
BOWMAN B: See Winchester P
BRAUN J: See Knapik JJ
BROOKS VB: Motor control: How posture and movements are governed. 63:664–673, 1983
BROWNE P: See Hochreiter NW
BROWNING CA: See Ellison PH
BRUMBACK RA, Baune GM, Roberts DW: Pictorial report form for needle electromyography (Suggestion from the Field). 63:224, 1983

C

CAREY JR, Allison JD, Mundale MO: Electromyographic study of muscular overflow during precision handgrip. 63:505–511, 1983
CARTER AL: See Armstrong LE
CARTER-BAKER SA: See Schomburg FL
CATON W: See Heiden JS
CERNY K: A clinical method of quantitative gait analysis (Suggestion from the Field). 63:1125–1126, 1983

CHAO EYS: See Laughman RK
CLARKSON BH: Absorbent paper method for recording foot placement during gait (Suggestion from the Field). 63:345–346, 1983
COLLINS GA: See Talmage EW
CONNOLLY BH: Lateral dominance in children with learning disabilities. 63:183–187, 1983
COOK TM: See Soderberg GL
COON VA: See Waugh KG
COSENTINO AB, Cross DL, Harrington RJ, Soderberg GL: Ultrasound effects on electroneuromyographic measures in sensory fibers of the median nerve. 63:1788–1792, 1983
CROSS DL: See Cosentino AB
CURRIER DP, Mann R: Muscular strength development by electrical stimulation in healthy individuals. 63:915–921, 1983

D

DELITTO A: See Rothstein JM
DELITTO A: See Sinacore DR
DENNY J: See Ellison PH
DiCARLO S, Leonardo J: Hemodynamic and energy cost responses to changes in arm exercise technique. 63:1585–1592, 1983
DiCARLO S: See Wolfe PI
DiCARLO SE, Supp MD, Taylor HC: Effect of arm ergometry training on physical work capacity of individuals with spinal cord injuries. 63:1104–1107, 1983
DiGENIO M: See Mills VM
DOBASHI C: Disseminated intravascular coagulation resulting in amputation (Case Report). 63:1283–1286, 1983
DOMENECH MA, Payton O, Hill J, Shukla RK: Utilization of physical therapy personnel in one hospital: A work sampling study. 63:1108–1112, 1983
DONNELL R: See Vasudevan SV
DOYLE M: See Booth BJ
DRAGOTTA N: See Radtka S
DUNCAN MA, Lotze MT, Gerber LH, Rosenberg SA: Incidence, recovery, and management of serratus anterior muscle palsy after axillary node dissection. 63:1243–1247, 1983
DUNCAN PW, Propst M, Nelson SG: Reliability of the Fugl-Meyer assessment of sensorimotor recovery following cerebrovascular accident. 63:1606–1610, 1983
DUNCAN PW: See Badke MB
DUNCAN PW: See Nelson SG
DULL JL, Dull WL: Are maximal inspiratory breathing exercises or incentive spirometry better than early mobilization after cardiopulmonary bypass? 63:655–659, 1983
DULL WL: See Dull JL

E

ELLISON PH, Browning CA, Larson B, Denny J: Development of a scoring system for the Milani-Comparetti and Gidoni method of assessing neurologic abnormality in infancy. 63:1414–1423, 1983
EVANS PR: See Walker JM
EVERETT LE: See Walker JM

F

FALKEL JE: Amputation as a consequence of diabetes mellitus: An epidemiological review. 63:960–964, 1983
FARADY JA: Current principles in the nonoperative management of structural adolescent idiopathic scoliosis. 63:512–523, 1983
FEHRING RJ: See Sobush DC
FINCH L: See Melzack R
FISCHER J: See Heriza CB
FITZGERALD GK, Wynveen KJ, Rheault W, Rothschild B: Objective assessment with establishment of normal values for lumbar spinal range of motion. 63:1776–1781, 1983
FLYNN J, Winstein C: Introduction: Traumatic head injury. 63:1944, 1983

G

GAJDOSIK R, Lusin G: Hamstring muscle tightness: Reliability of an active-knee-extension test. 63:1085–1088, 1983
GAJDOSIK R, Lusin G: Authors' response to Commentary on "Hamstring muscle tightness: Reliability of an active-knee-extension test." 63:1089–1090, 1983
GANZ SB, Levine DB, Axelrod FB, Kahanovitz N: Physical therapy management of familial dysautonomia. 63:1121–1124, 1983
GARLAND DE, Keenan MAE: Orthopedic strategies in the management of the adult head-injured patient. 63:2004–2009, 1983
GARRETT TR: See Laughman RK
GEHLSEN G: See Armstrong LE
GERBER LH: See Duncan MA
GILLIS K: See Hsieh C
GLASHEEN-WRAY MB: See Johnson C
GLICKMAN L: See Horn J
GROHMANN JEL: Comparison of two methods of goniometry. 63:922–925, 1983
GRONLEY JK: See Lyons K
GUCKER B: See Paris DL

H

HARRINGTON RJ: See Cosentino AB
HARRIS M: See Heriza CB
HEIDEN JS, Small R, Caton W, Weiss M, Kurze T: Severe head injury: Clinical assessment and outcome. 63:1946–1951, 1983
HERDMAN SJ: Effect of experience on recovery following CNS lesions. 63:51–55, 1983
HERIZA CB, Lunnen KY, Fischer J, Harris M: Pediatric practice in physical therapy: A survey. 63:948–956, 1983
HILL J: See Domenech MA
HISLOP H: See Winchester P
HOCHREITER NW, Jewell MJ, Barber L, Browne P: Effect of vibration on tactile sensitivity. 63:934–937, 1983
HOFFMAN D, Kusek N, Tonjuk AM: The pneumatic lift as an aid to positioning the strength-compromised patient (Suggestion from the Field). 63:969–970, 1983
HOLM RA: See Sousa JC
HORN J, Glickman L: Toe splint (Suggestion from the Field). 63:677–678, 1983
HSIEH C, Walker JM, Gillis K: Straight-leg-raising test: Comparison of three instruments. 63:1429–1433, 1983
HUME JB, Poor R, Schulein M, Pezzino J: Perceived behavioral changes observed with adaptive seating devices and training programs for multihandicapped, developmentally disabled individuals. 63:204–208, 1983



The Original McKenzie Lumbar Roll

Now Available Exclusively From:

OPTP

ORTHOPEDIC PHYSICAL THERAPY PRODUCTS

Division of Positek®, Inc.
2305 Louisiana Ave. North
Minneapolis, MN 55427
(512) 544-3349

Manufactured according to specifications determined by Robin McKenzie to be most effective in correcting and maintaining a proper lumbar lordosis while sitting.

Standard Lumbar Roll
List Price $14.00
Professional Price $10.00
Quantity Price (16 or more) $7.00 ea.
(Plus Shipping & Handling.)
Minnesota Customers Please Add 5% Sales Tax

Now Available Firm density lumbar roll
List Price $15.00
Professional Price $11.00
Quantity Price (16 or more) $8.00 ea.
(Plus Shipping & Handling.)
Minnesota Customers Please Add 5% Sales Tax

J

JEWELL MJ: See Hochreiter NW
JOHANSSON CA, Kent BE, Shepard KF: Relationship between verbal command volume and magnitude of muscle contraction. 63:1260–1265, 1983
JOHNSON C, Glasheen-Wray MB: Effect of forearm abduction on the ulnar collateral ligament. 63:660–663, 1983

K

KAHANOVITZ N: See Ganz SB
KALISH RA: See Van Pelt M
KARSELIS TC: See Newton RA
KEENAN MAE: See Garland DE
KENT BE: See Johansson CA
KIRKMAN K: Commentary on "Functional differences in patients with left or right cerebrovascular accidents." 63:486–487, 1983
KLOTH LC, Morrison MA: Supervised versus independent student laboratories. 63:225–228, 1983
KNAPIK JJ, Wright JE, Mawdsley RH, Braun J: Isometric, isotonic, and isokinetic torque variations in four muscle groups through a range of joint motion. 63:938–947, 1983
KONDELA-CEBULSKI P: See Stachowski M
KRALJ A: See Bajd T
KURZE T: See Heiden JS
KUSEK N: See Hoffman D

L

LARSON B: See Ellison PH
LATTIMORE J: See Stephens TE
LAUGHMAN RK, Youdas JW, Garrett TR, Chao EYS: Strength changes in the normal quadriceps femoris muscle as a result of electrical stimulation. 63:494–499, 1983
LEIKEN AM: Method to determine the effect of clinical education on production in a health care facility. 63:56–59, 1983
LEO KC: Use of electrical stimulation at acupuncture points for the treatment of reflex sympathetic dystrophy in a child (Case Report). 63:957–959, 1983
LEONARDO J: See DiCarlo S
LEVINE DB: See Ganz SB
LISTER M: Editorial. 63:1943, 1983
LOBITZ C, Shepard K: Effect of compatibility on goal achievement in patient-physical therapist dyads. 63:319–324, 1983
LOTZE MT: See Duncan MA
LUCCA JA, Recchiuti SJ: Effect of electromyographic biofeedback on an isometric strengthening program. 63:200–203, 1983
LUNNEN KY: See Heriza CB
LUSIN G: See Gajdosik R
LYNCH T: See Vasudevan SV
LYONS K, Perry J, Gronley JK, Barnes L, Antonelli D: Timing and relative intensity of hip extensor and abductor muscle action during level and stair ambulation: An EMG Study. 63:1597–1605, 1983

M

MacKINNON JL: Study of doppler ultrasonic peripheral vascular assessments performed by physical therapists. 63:30–34, 1983
MALKMUS D: Integrating cognitive strategies into the physical therapy setting. 63:1952–1959, 1983

MANN R: See Currier DP
MAWDSLEY RH: See Knapik JJ
MAWDSLEY RH: See White DJ
MAY BJ: Teaching: A skill in clinical practice. 63:1627–1633, 1983
MAYHEW TP, Norton BJ, Sahrmann SA: Electromyographic study of the relationship between hamstring and abdominal muscles during a unilateral straight leg raise. 63:1769–1773, 1983
MAYHEW TP, Norton BJ, Sahrmann SA: Authors' response to Commentary on "Electromyographic study of the relationship between hamstring and abdominal muscles during a unilateral straight leg raise." 63:1775, 1983
McCARTIN R: See Sousa JC
McCLAY I: Electric wheelchair propulsion using a hand control in C4 quadriplegia (Case Report). 63:221–223, 1983
McGARVEY CL: Effect of a thermoplastic orthosis in the rehabilitation of a patient with a scapular fracture (Case Report). 63:1289–1291, 1983
MELZACK R, Vetere P, Finch L: Transcutaneous electrical nerve stimulation for low back pain: A comparison of TENS and massage for pain and range of motion. 63:489–493, 1983
MERCER L, Boch M: Residual sensorimotor deficits in the adult head-injured patient: A treatment approach. 63:1988–1991, 1983
MICHELS E: Measurement in physical therapy: On the rules for assigning numerals to observations. 63:209–215, 1983
MIERES AC: See Bohannon RW
MILLEA TP: Transcutaneous electrical nerve stimulation in the management of nonoperative intra-abdominal pain (Case Report). 63:1280–1282, 1983
MILLER PJ: See Rothstein JM
MILLS VM, DiGenio M: Functional differences in patients with left or right cerebrovascular accidents. 63:481–485, 1983
MILLS VM, DeGenio M: Authors' response to Commentary on "Functional differences in patients with left or right cerebrobascular accidents." 63:488, 1983
MINKEL JL: See Waugh KG
MOSSBERG KA: See Baruch IM
MONTGOMERY J: Overview of head injuries. 63:1945, 1983
MONTGOMERY J: See Booth BJ
MONTGOMERY J: See Winchester P
MORRISON MA: See Kloth LC
MUNDALE MO: See Carey JR
MURPHY J: See Vasudevan SV

N

NEEDHAM S: See Radtka S
NELSON SG, Duncan PW: Correction of isokinetic and isometric torque recordings for the effects of gravity (Clinical Report). 63:674–676, 1983
NELSON SG: See Duncan PW
NEWTON RA, Karselis TC: Skin pH following high voltage pulsed galvanic stimulation. 63:1593–1596, 1983
NOLAN MF: Limits of two-point discrimination ability in the lower limb in young adult men and women. 63:1424–1428, 1983
NOLAN MF: The protection of human subjects in biomedical experimentation. 63:1083–1084, 1983
NORTON BJ: See Mayhew TP

O

OLSEN SL: Teaching treatment planning: A problem-solving model. 63:526–529, 1983
OTTENBACHER K: Developmental implications of clinically applied vestibular stimulation: A review. 63:338–342, 1983

P

PARIS DL, Baynes F, Gucker B: Effects of the neuroprobe in the treatment of second-degree ankle inversion sprains. 63:35–40, 1983
PARKER K: See Baker LL
PARKER R: See Waugh KG
PAYTON OD: Effects of instruction in basic communication skills on physical therapists and physical therapy students. 63:1292–1297, 1983
PAYTON OD, Poland JL: Aging process: Implications for clinical practice. 63:41–48, 1983
PAYTON O: See Domenech MA
PEARCE D: See Posey S
PERRY J: See Lyons K
PEZZINO J: See Hume JB
PFALLER BA: See Bohannon RW
POLAND JL: See Payton OD
POOR R: See Hume JB
POSEY S, Pearce D: Sliding forearm rest for parallel bars (Suggestion from the Field). 63:347–348, 1983
PROPST M: See Duncan PW

R

RADTKA S, Dragotta N, Needham S, Smith SS, Tucker J: Texas consortium for physical therapy clinical education: A model for interinstitutional consortium arrangements. 63:971–974, 1983
RECCHIUTI SJ: See Lucca JA
RHEAULT W: See Fitzgerald GK
RICHARDSON RW: 1983 Presidential Address. 63:1795–1801, 1983
RINEHART MA: Considerations for functional training in adults after head injury. 63:1975–1982, 1983
ROBERTS DW: See Brumback RA
ROETTGER RF: See Rothstein JM
ROSE SJ: See Rothstein JM
ROSE SJ: See Sinacore DR
ROSE-JACOBS R: Development of gait at slow, free, and fast speeds in 3- and 5-year-old children. 63:1251–1259, 1983
ROSENBERG SA: See Duncan MA
ROTHSCHILD B: See Fitzgerald GK
ROTHSTEIN JM, Delitto A, Sinacore DR, Rose SJ: Electromyographic, peak torque, and power relationships during isokinetic movement. 63:926–933, 1983
ROTHSTEIN JM, Miller PJ, Roettger RF: Goniometric reliability in a clinical setting: Elbow and knee measurements. 63:1611–1615, 1983
ROTHSTEIN JM: See Sinacore DR
ROY EA: Current perspectives on disruptions to limb praxis. 63:1998–2003, 1983

S

SAHRMANN SA: See Mayhew TP
SANDERSON D: See Baker LL
SCHOMBURG FL, Carter-Baker SA: Transcutaneous electrical nerve stimulation for postlaparotomy pain. 63:188–193, 1983

SCHULEIN M: See Hume JB
SCULLY RM, Shepard KF: Clinical teaching in physical therapy education: An ethnographic study. 63:349–358, 1983
SEGA J: See Bajd T
SEIDLE ME: See Armstrong LE
SHEPARD K: See Lobitz C
SHEPARD KF: See Johansson CA
SHEPARD KF: See Scully RM
SHUKLA RK: See Domenech MA
SHURTLEFF DB: See Sousa JC
SIEGEL IM, Silverman M: Fully contoured seating for the wheelchair-bound patient with neuromuscular disease (Suggestion from the Field). 63:1625–1626, 1983
SILVERMAN M: See Siegel IM
SIMPSON LS: Effect of increased abdominal muscle strength on forced vital capacity and forced expiratory volume. 63:334–337, 1983
SINACORE DR, Rothstein JM, Delitto A, Rose SJ: Effect of damp on isokinetic measurements. 63:1248–1250, 1983
SINACORE DR: See Rothstein JM
SMALL R: See Heiden JS
SMITH R: Prevocational programming in the rehabilitation of the head-injured patient: A summary. 63:2026–2029, 1983
SMITH SS: See Radtka S
SMUTOK MA: See Sweeney JK
SOBUSH DC, Fehring RJ: Physical fitness of physical therapy students. 63:1266–1273, 1983
SODERBERG GL: Muscle mechanics and pathomechanics: Their clinical relevance. 63:216–220, 1983
SODERBERG CL: Commentary on "Electromyographic study of the relationship between hamstring and abdominal muscles during a unilateral straight leg raise." 63:1774, 1983
SODERBERG GL, Cook TM: An electromyographic analysis of quadriceps femoris muscle setting and straight leg raising. 63:1434–1438, 1983
SODERBERG GL: See Cosentino AB
SOUSA JC, Telzrow RW, Holm RA, McCartin R, Shurtleff DB: Developmental guidelines for children with myelodysplasia. 63:21–29, 1983
SPRAGUE RB: The acute cervical joint lock. 63:1439–1444, 1983
STACHOWSKI M, Kondela-Cebulski P: Physical therapists in burn care: Role and staffing patterns. 63:1091–1095, 1983
STEPHENS TE, Lattimore J: Prescriptive check list for positioning multihandicapped residential clients (Clinical Report). 63:1113–1115, 1983
SUPP MD: See DiCarlo SE
SWASEY PR: See Armstrong LE
SWEENEY JK, Smutok MA: Vietnam head injury study: Preliminary analysis of the functional and anatomical sequelae of penetrating head trauma. 63:2018–2025, 1983

T

TALMAGE EW, Collins GA: Physical abilities after head injury: A retrospective study. 63:2010–2017, 1983
TAYLOR HC: See DiCarlo SE
TELZROW RW: See Sousa JC
THORNE M: See Bohannon RW
TONJUK AM: See Hoffman D
TUCKER J: See Radtka S
TURK R: See Bajd T

Phoresor–the "ouchless" shot

Iontophoresis—a proven alternative to steroid injections, for treating musculoskeletal inflammations. Now perform iontophoresis with the new, easy-to-use Phoresor Drug Delivery System.

For more information call 800-621-3347

phoresor™

motion control

Motion Control, Inc., 1005 So. 300 W.,
S.L.C., UT 84101/800-621-3347 or 801-364-1958
Manufacturers of the Utah Artificial Arm, a myoelectric prosthesis for above elbow amputees.

U

UMPHRED D: Conceptual model of an approach to the sensorimotor treatment of the head-injured client. 63:1983–1987, 1983

V

VAN PELT M, Kalish RA: Motor proficiency in children with psychosis. 63:194–199, 1983
VASUDEVAN SV, Lynch T, Donnell R, Murphy J: Design and selected application of an electronic touch-sensitive switch for motor-impaired patients (Suggestion from the Field). 63:1793–1794, 1983
VETERE P: See Melzack R

W

WALKER JM: Academic tenure: What does it mean? 63:679–684, 1983
WALKER JM, Everett LE, Evans PR: Profile of physical therapy educators in five countries. 63:1127–1133, 1983
WALKER JM: See Hsieh C
WATTS NT: Eighteenth Mary McMillan Lecture: "The privilege of choice." 63:1802–1808, 1983
WAUGH KG, Minkel JL, Parker R, Coon VA: Measurement of selected hip, knee, and ankle joint motions in newborns. 63:1616–1621, 1983
WEISS M: See Heiden JS
WETZEL A: See Bjork L
WHITE DJ, Mawdsley RH: Effects of selected bronchial drainage positions and percussion on blood pressure of healthy human subjects. 63:325–330, 1983
WINANT DM: See Armstrong LE
WINCHESTER P, Montgomery J, Bowman B, Hislop H: Effects of feedback stimulation training and cyclical electrical stimulation on knee extension in hemiparetic patients. 63:1096–1103, 1983
WINSTEIN C: Neurogenic dysphagia: Frequency, progression, and outcome in adults following head injury. 63:1992–1997, 1983
WINSTEIN C: See Flynn J
WINTER DA: Knee flexion during stance as a determinant of inefficient walking. 63:331–333, 1983
WOLF SL: Electromyographic biofeedback applications to stroke patients: A critical review. 63:1448–1459, 1983
WOLF SL, Binder-MacLeod SA: Electromyographic biofeedback applications to the hemiplegic patient: Changes in lower extremity neuromuscular and functional status. 63:1404–1413, 1983
WOLF SL, Binder-MacLeod SA: Electromyographic biofeedback applications to the hemiplegic patient: Changes in upper extremity neuromuscular and functional status. 63:1393–1403, 1983
WOLFE PI, DiCarlo S: Fatigue rate during anaerobic and aerobic exercise in insulin-dependent diabetics and nondiabetics. 63:500–504, 1983
WRIGHT JE: See Knapik JJ
WYNVEEN KJ: See Fitzgerald GK

Y

YOUDAS JW: See Laughman RK

SPECIAL FEATURES INDEX OF JOURNAL

This index will help readers locate special features. Always refer to the most recent issue for an up-to-date index because predicted schedules may change.

ANNUAL CONFERENCE
Call for papers (Research and Special Interest) *June to November*
Conference registration, hotel reservations *April*
Preliminary program *February to April*
Proceedings *November*
Program participants, intermediate program, conference facts, and commercial exhibits *May*

ASSOCIATION COMMITTEES AND TASK FORCES
Description *September*
Roster *November*

BYLAWS *October*

CALL FOR GRANT RECIPIENTS *October to December*

CONTINUING EDUCATION UNITS RECORD *December*

COMBINED SECTIONS MEETING
Preliminary Program *October to January*

EDUCATIONAL PROGRAMS AND STATE BOARD EXAMINATIONS *April, October*

INDEX TO JOURNAL *December*

INSTRUCTIONS TO AUTHORS *Alternate months starting in February*

MEMBERSHIP APPLICATION FORM *April*

MEMBERSHIP QUALIFICATIONS *October*

MEMBERSHIP STATISTICS *November*

NOMINEES FOR NATIONAL OFFICE *March*

OBITUARIES *July*

PUBLICATIONS/AUDIOVISUALS *February, April, July, September, November*

THESES AND DISSERTATIONS
Abstracts . . . . *Starting January, monthly as available*

WCPT Reports . . . . . *As available*